



XEN *Series*

**Mobile elevating
work platform**

65XEN ;78XEN ;

80XENS ;100XENS ;

80XEN ;100XEN ;

120XEN ;140XEN;

160XEN;160XENS;

HS1614H

Parts manual

HANGCHA GROUP CO., LTD.

July, 2024

FOREWORD

Dear customers, thank you very much for your purchase of the XEN series Self-propelled elevating work platform of HANGCHA Group. Before you order accessories, please confirm the following conditions:

1、 Which model does the parts you want to order belong to。

Which system does the parts you want to order belong to。

2、 Locate the page number of the corresponding part or system in the catalog

3、 Find the serial number of the corresponding part in the figure on the page number, and find the code and name of the part in the table.

4、 In addition to the above information, we need to be informed of the corresponding quantity.

The legends and tables included in this manual are the latest versions at the time of preparation.


Due to the continuous update of products and technologies, the company reserves the right to update technical parameters and relevant information without prior notice.

Contents

1 Chassis.....	2
1.1 Drive steering assembly.....	2
1.2 Anti-overturning assembly.....	5
1.3-A Battery door assembly (Lead acid battery)	8
1.3-B Battery door assembly (Lithium battery)	10
1.4 Tank door assembly.....	12
1.5 Tire and pedal assembly.....	15
1.6 Switches and alarm light assembly.....	17
1.7 Oil tank.....	19
2 Scissors.....	21
2.1 Scissors assembly (65XEN)	21
2.2 Scissors assembly (78XEN)	24
2.3 Scissors assembly (80XEN/80XENS)	27
2.4 Scissors assembly (100XEN/100XENS)	30
2.5 Scissors assembly (120XEN)	33
2.6 Scissors assembly (140XEN)	36
2.7 Scissors assembly (160XEN/160XENS)	39
2.8 Scissors assembly (HS1614H)	42
3 Platform.....	45
3.1 Fixed platform assembly (65/78XEN,80/100XENS)	45
3.2 Extended platform assembly (65/78XEN,80/100XENS)	47
3.3 Fixed platform assembly (80/100/120/140/160XEN,160XENS,HS1614H)	49
3.4 Extended platform assembly (80/100/120/140/160XEN,160XENS,HS1614H)	51
3.5 Pedal assembly.....	53
4 Hydraulic system.....	54
4.1 Hydraulic pipeline (65/78XEN)	54
4.2 Hydraulic pipeline (80/100XEN,80/100XENS)	56
4.3 Hydraulic pipeline (120/140/160XEN,160XENS,HS1614H)	58
4.4 Lifting cylinder assembly.....	61
4.5 Upper lifting cylinder assembly (120/140XEN,160XEN,160XENS,HS1614H)	63
4.6 Valve bank.....	64
5 Electric System.....	66
5.1-A Electric harness (65/78XEN,80/100XENS Lead acid battery)	66
5.1-B Electric harness (65/78XEN,80/100XENS Lithium battery)	68
5.2-A Electric harness (80/100/120/140/160XEN,160XENS,HS1614H Lead acid battery) ..	70
5.2-B Electric harness (80/100/120/140/160XEN,160XENS,HS1614H Lithium battery)	72
5.3 control handle.....	74
5.4 Control panel assembly.....	75
6 Label.....	76
6.1 Label diagram.....	76

1 Chassis

1.1 Drive steering assembly




1.1 Drive steering assembly

Item	Part No.	Description	Qty	Serial
1	GB/T 5783 M10×20	Bolt M10×20	2	
2	GB/T 93 10	Spring washer 10	2	
3	140XEN-450003-001	Gasket	2	
4	78XEN-450300-000	Steering linkage	1	65/78XEN,80/100XENS
	140XEN-450300-001	Steering linkage	1	80/100/120/140XEN
	160XEN-450300-001	Steering linkage	1	160XEN,HS1614H
	160XENS-450300-001	Steering linkage	1	160XENS
5	78XEN-010005-000	Pin	1	
6	GB/T 97 16	Plain washer 16	2	
7	GB/T 91 3.2×40	Split Pin3.2×40	2	
8	78XEN-620200-000	Steering cylinder	1	65/78XEN,80/100XENS
	140XEN-620300-001	Steering cylinder	1	80/100/120/140/160XEN,160XENS,HS1614H
9	78XEN-010006-000	Pin	1	
10	78XEN-450200-000	Steering bracket	1	65/78XEN
	80XENS-450200-000	Steering bracket	1	80/100XENS
	140XEN-450200-001	Steering bracket	1	80/100/120/140/160XEN,160XENS,HS1614H
11	78XEN-130100-G00	Hydraulic motor	2	65/78XEN
	80XENS-130100-G00	Hydraulic motor	2	80/100XENS
	140XEN-130100-G00	Hydraulic motor	2	80/100/120/140/160XEN,160XENS,HS1614H
12	GB/T 5782 M12×100	Bolt M12×100	8	65/78XEN
	GB/T 5782 M12×90	Bolt M12×90	8	80/100/120/140/160XEN,80/100/160XENS
13	GB/T 91 4×50	Split Pin 4×50	2	
14	78XEN-450100-000	Steering bracket	1	65/78XEN
	80XENS-450100-000	Steering bracket	1	80/100XENS
	140XEN-450100-001	Steering bracket	1	80/100/120/140/160XEN,160XENS,HS1614H
15	GB/T 97 12	Plain washer 12	8	
16	GB/T 889 M12	Hexagon nutM12	8	
17	78XEN-810100-G00	Tire	2	65/78XEN
	140XEN-810100-G00	Tire	2	80/100/160XENS,80/100/120/140/160XEN,HS1614H
18	CT-220115-G00	Flanging bushing	2	65/78XEN,80/100XENS
	CT-225165-G00	Flanging bushing	2	80/100/120/140/160XEN,160XENS,HS1614H
19	GTHZ170-020116-G00	Pipe clamp	2	
20	GB/T 5783 M8×80	Bolt M8×80	1	
21	GB/T 6183 M8	Hexagon nutM8	1	
22	78XEN-450002-001	Copper bush	2	65/78XEN,80/100XENS

	140XEN-450002-001	Copper bush	2	80/100/120/140/160XEN,160XENS,HS1614H
23	CT-523550-G00	Fibre bushing	2	65/78XEN,80/100XENS
	CT-525550-G00	Fibre bushing	4	80/100/120/140/160XEN,160XENS,HS1614H
24	140XEN-400006-000	Stifle	2	80/100/120/140/160XEN,160XENS,HS1614H
25	GB/T 70.1 M5×12	Screw M5×12	2	80/100/120/140/160XEN,160XENS,HS1614H
26	GB/T 79 M10×35	Screw M10×35	2	80/100/120/140/160XEN,160XENS,HS1614H
27	GB/T 6183 M10	Hexagon nutM10	2	80/100/120/140/160XEN,160XENS,HS1614H
28	78XEN-450005-001	Shaft sleeve	2	65/78XEN,80/100XENS
29	CT-503030-G00	Fibre bushing	2	65/78XEN,80/100XENS
30	78XEN-300001-000	Thick gasket	2	65/78XEN,80/100XENS
31	JB/ZQ 4342 30	Clamp spring 30	2	65/78XEN,80/100XENS
32	78XEN-620002-000	Cylinder seal package	1	65/78XEN,80/100XENS
	140XEN-620003-000	Cylinder seal package	1	80/100/120/140/160XEN,160XENS,HS1614H

1.2 Anti-overturning assembly




1.2 Anti-overturning assembly

Item	Part No.	Description	Qty	Serial
1	CT-102525-G00	Bushing	2	
2	78XEN-010009-000	Pin	2	
3	GB/T 91 3.2×40	Split Pin 3.2×40	4	
4	78XEN-010009-000	Pin	2	80/100/120/140/160XEN,160XENS,HS1614H
	78XEN-010010-000	Pin	2	65/78XEN,80/100XENS
5	78XEN-510400-000	Junction plate	2	
6	CT-111510-G00	Bushing	4	
7	78XEN-010008-000	Pin	2	
8	GB/T 5783 M8×50	Bolt M8×50	4	65/78XEN,80/100XENS
	GB/T 5783 M8×50	Bolt M8×50	8	80/100/120/140/160XEN,160XENS,HS1614H
9	CT-102010-G00	Bushing	3	
10	78XEN-500001-000	Roller	2	
11	G0894P1-000020-00	Clamp spring 20	3	
12	GB/T 5783 M6×16	Bolt M6×16	4	
13	GB/T 93 6	Spring washer 6	4	
14	GB/T 97 6	Plain washer 6	4	
15	78XEN-010200-000	Pin	4	
16	CT-220165-G00	Flanging bushing	4	
17	78XEN-510500-001	Anti-overturning plate A	1	65/78XEN
	140XEN-510500-001	Anti-overturning plate A	1	80/100XENS,80/100/120/140XEN
	160XEN-510500-001	Anti-overturning plate A	1	160XEN,160XENS,HS1614H
18	GB/7 97 16	Plain washer 16	4	
19	GB/T 889 M12	Hexagon nut M12	2	
20	GB/T 97 12	Plain washer 12	2	
21	78XEN-510600-001	Anti-overturning plate B	1	65/78XEN
	140XEN-510600-001	Anti-overturning plate B	1	80/100XENS,80/100/120/140XEN
	160XEN-510600-001	Anti-overturning plate B	1	160XEN,160XENS,HS1614H
22	78XEN-500003-000	Washer	2	65/78XEN,80/100XENS
	78XEN-500003-000	Washer	4	80/100/120/140/160XEN,160XENS,HS1614H
23	78XEN-030101-000	Spring	2	65/78XEN,80/100XENS
	78XEN-030101-000	Spring	4	80/100/120/140/160XEN,160XENS,HS1614H
24	GB/T 5783 M8×50	Bolt M8×50	4	65/78XEN,80/100XENS
	GB/T 5783 M8×50	Bolt M8×50	8	80/100/120/140/160XEN,160XENS,HS1614H
25	GB/T 97 8	Plain washer 8	12	65/78XEN,80/100XENS
	GB/T 97 8	Plain washer 8	20	80/100/120/140/160XEN,160XENS,HS1614H
26	78XEN-510200-001	Curved plate	2	65/78XEN,80/100XENS

	140XEN-510200-000	Curved plate	2	80/100/120/140/160XEN,160XENS,HS1614H
27	140XEN-500001-000	Dust cover	1	
28	78XEN-510700-000	Vertical shaft	1	65/78XEN,80/100XENS
	140XEN-510700-000	Vertical shaft	1	80/100/120/140/160XEN,HS1614H
29	140XEN-030202-000	Spring	1	
30	140XEN-510300-000	Fixed sleeve	1	
31	GB/T 93 8	Spring washer 8	4	
32	GB/T 5783 M8×25	Bolt M8×25	4	
33	GB/T 879 5×16	Spring pin 5×16	2	
34	78XEN-510100-001	Oscillating rod	1	65/78XEN,80/100XENS
	140XEN-510100-001	Oscillating rod	1	80/100/120/140XEN
	160XEN-510100-002	Oscillating rod	1	160XEN
	160XENS-510100-000	Oscillating rod	1	160XENS,HS1614H
35	78XEN-010007-000	Roller	3	
36	78XEN-500002-000	Washer	2	65/78XEN,80/100XENS
	78XEN-500002-000	Washer	4	80/100/120/140/160XEN,160XENS,HS1614H
37	GB/T 889 M8	Hexagon nut M8	4	
38	GB/T 5782 M12×90	Bolt M12×90	2	
39	GB/T 96 12	Plain washer 12	2	


1.3-A Battery door assembly (Lead acid battery)



1.3-A Battery door assembly (Lead acid battery)

Item	Part No.	Description	Qty	Serial
1	140XEN-401400-G00	Handle	1	
2	GB/T 5783 M6×20	Bolt M6×20	2	
3	GB/T 93 6	Spring washer6	6	
4	GB/T 97 6	Plain washer 6	6	
5	140XEN-401100-G00	Lock body	1	
6	78XEN-420100-003	Battery door	1	65/78XEN
	80XENS-420100-003	Battery door	1	80/100XENS
	HS1412AI-420100-000	Battery door	1	80/100/120/140/160XEN,160XENS,HS1614H
7	140XEN-420002-000	Organic glass	1	80/100/120/140/160XEN,160XENS,HS1614H
8	78XEN-760100-G02	Battery(6V)	4	65/78XEN,80/100XENS
	140XEN-760100-G02	Battery(12V)	4	80/100/120/140/160XEN,160XENS,HS1614H
9	140XEN-420001-000	Clapboard	1	80/100/120/140/160XEN,160XENS,HS1614H
10	140XEN-830001-000	Rubber	2	80/100/120/140/160XEN,160XENS,HS1614H
11	GB/T 5783 M8×12	Screw M8×12	2	80/100/120/140/160XEN,160XENS,HS1614H
12	GB/T 93 8	Spring washer 8	2	80/100/120/140/160XEN,160XENS,HS1614H
13	GB/T 6183 M8	Hexagon nut M8	2	80/100/120/140/160XEN,160XENS,HS1614H
14	AMDSZ125-700001-000	Power switch	1	
15	GB/T 97 24	Plain washer 24	2	
16	CT-225165-G00	Flanging bushing	2	
17	GB/T 91 4×50	Pin 4×50	2	
18	78XEN-010004-000	Pin	2	
19	78XEN-760200-G04	Charger	1	80/100/120/140/160XEN,80/100/160XENS, HS1614H
20	GB/T 70.3 M6×20	Screw M6×20	4	80/100/120/140/160XEN,80/100/160XENS, HS1614H
21	GB/T 818 M5×12	Screw M5×12	2	
22	GB/T 93 5	Spring washer 5	2	
23	GB/T 97 5	Plain washer 5	2	
24	140XEN-701100-G00	plug	1	80/100/120/140/160XEN,160XENS,HS1614H
25	HS1412AI-700002-000	protective ring	1	80/100/120/140/160XEN,160XENS,HS1614H


1.3-B Battery door assembly (Lithium battery)



1.3-B Battery door assembly (Lithium battery)

Item	Part No.	Description	Qty	Serial
1	140XEN-401400-G00	Handle	1	
2	GB/T 5783 M6×20	Bolt M6×20	2	
3	GB/T 93 6	Spring washer6	6	
4	GB/T 97 6	Plain washer 6	6	
5	140XEN-401100-G00	Lock body	1	
6	78XEN-420100-003	Battery door	1	65/78XEN
	80XENS-420100-003	Battery door	1	80/100XENS
	HS1412AI-420100-000	Battery door	1	80/100/120/140/160XEN,160XENS,HS1614H
7	140XEN-420002-000	Organic glass	1	80/100/120/140/160XEN,160XENS,HS1614H
8	78XEN-760300-G04	Lithium battery	4	65/78XEN,80/100XENS
	140XEN-760300-G04	Lithium battery	4	80/100/120/140/160XEN,160XENS,HS1614H
9	GB/T 5789 M8×25	Bolt M8×25	2	
10	AMDSZ125-700001-000	Power switch	1	
11	GB/T 97 24	Plain washer 24	2	
12	CT-225165-G00	Flanging bushing	2	
13	GB/T 91 4×50	Pin 4×50	2	
14	78XEN-010004-000	Pin	2	
15	78XEN-760200-G04	Charger	1	80/100/120/140/160XEN,80/100/160XENS, HS1614H
16	GB/T 70.3 M6×20	Screw M6×20	4	80/100/120/140/160XEN,80/100/160XENS, HS1614H
17	GB/T 818 M5×12	Screw M5×12	2	
18	GB/T 93 5	Spring washer 5	2	
19	GB/T 97 5	Plain washer 5	2	
20	140XEN-701100-G00	plug	1	80/100/120/140/160XEN,160XENS,HS1614H
21	HS1412AI-700002-000	protective ring	1	80/100/120/140/160XEN,160XENS,HS1614H

1.4 Tank door assembly




1.4 Tank door assembly

Item	Part No.	Description	Qty	Serial
1	78XEN-660200-G00	Oil pump	1	
2	78XEN-020001-G00	Bolt	2	
3	HS1412AI-110100-G01	Motor	1	
4	GB/T 93 8	Spring washer 8	14	
5	ANSI B18.2.1 1/4-20×3/4	Bolt 1/4-20×3/4	4	
6	ANSI B18.21.1 1/4	Plain washer 1/4	4	
7	140XEN-430200-001	Install panel	1	
8	GB/T 5783 M8×25	Bolt M8×25	6	
9	GB/T 96 8	Plain washer 8	6	
10	GB/T 5783 M8×35	Bolt M8×35	2	65/78XEN
	GB/T 5783 M8×20	Bolt M8×20	4	80/100/120/140/160XEN,80/100/160XENS, HS1614H
11	GB/T 97 8	Plain washer 8	4	
12	NC9717-700500-000	Buzzer	1	
13	GB/T 5783 M4×12	Bolt M4×12	2	
14	GB/T 93 4	Spring washer4	2	
15	GB/T 96 4	Plain washer4	2	
16	R450-700200-000	Horn	1	
17	HS1614AI-740100-G00	Controller	1	
18	GB/T 818 M6×16	Bolt M6×16	4	
19	GB/T 93 6	Spring washer6	6	
20	GB/T 97 6	Plain washer6	6	
21	HS1412AI-430201-000	Bracket	1	
22	60XEND-741501-G00	Contactor	1	
23	GB/T 70.1 M6×10	Screw M6×10		
24	GB/T 5783 M6×20	Bolt M6×20	2	
25	140XEN-401200-G00	Lock body	1	
26	140XEN-401400-G00	Handle	1	
27	78XEN-610100-001	Tank	1	65/78XEN
	140XEN-610100-001	Tank	1	80/100/120/140/160XEN,80/100/160XENS
	HS1614HI-610100-G00	Tank	1	HS1614H
28	140XEN-430001-000	Bracket	1	
29	78XEN-610001-G00	Filter	1	
30	140XEN-640100-G20	Valve bank	1	
31	GB/T 97 10	Plain washer10	4	

32	GB/T 93 10	Spring washer10	4	
33	GB/T 5783 M10×25	Bolt M10×25	2	
34	GB/T 97 24	Plain washer 24	2	
35	CT-225165-G00	Flanging bushing	2	
36	GB/T 91 4×50	Split pin 4×50	2	
37	78XEN-010004-000	Pin	2	
38	78XEN-430100-003	Tank door	1	65/78XEN
	140XEN-431000-004	Tank door	1	80/100/120/140/160XEN,80/100/160XENS
	HS1614HI-430100-000	Tank door	1	HS1614H
39	GB/T 5783 M10×20	Bolt M10×20	2	
40	GB/T 5789 M6×20	Bolt M6×20	4	
41	GB/T 6183 M6	Hexagon nut M6	4	
42	Refer to legend 5.4	Control panel	1	


1.5 Tire and pedal assembly



1.5 Tire and pedal assembly

Item	Part No.	Description	Qty	Serial
1	78XEN-810100-G00	Tire	2	65/78XEN
	140XEN-810100-G00	Tire	2	80/100/160XENS,80/100/120/140/160XEN,HS1614H
2	GB/T 5782 M12×90	Bolt M12×90	8	
3	GB/T 91 4×50	Split pin 4×50	2	
4	78XEN-120100-G00	Hydraulic brake	2	
5	GB/T 97 12	Plain washer 12	8	
6	GB/T 889 M12	Hexagon nut M12	8	
7	JE255-000001-000	Electrostatic belt	1	
8	GB/T 5783 M6×20	Bolt M6×20	1	
9	GB/T 97 6	Plain washer 6	9	
10	GB/T 93 6	Spring washer 6	9	
11	GB/T 5783 M6×16	Bolt M6×16	4	
12	GB/T 5783 M12×30	Bolt M12×30	4	
13	160XENS-400002-000	Cover plate	1	160XENS,80/100/120/140/160XEN,HS1614H
14	78XEN-440000-001	Boarding pedal	1	65/78/80XEN,80/100XENS
	140XEN-440000-001	Boarding pedal	1	160XENS,100/120/140/160XEN
	HS1614HI-440000-001	Boarding pedal	1	HS1614H
15	GB/T 5783 M8×70	Bolt M8×70	2	
16	GB/T 97 8	Plain washer 8	4	
17	GB/T 889 M8	Hexagon nut M8	2	
18	78XEN-640300-G00	Brake release valve	1	
19	120XEN-400003-001	Balancing weight	1	120XEN
	120XEN-400003-001	Balancing weight	2	140XEN
20	GB/T 97 20	Plain washer 20	2	120XEN,140XEN
21	GB/T 93 20	Spring washer 20	2	120XEN,140XEN
22	GB/T 5782 M20×110	Bolt M20×110	2	120XEN
	GB/T 5782 M20×200	Bolt M20×200	2	140XEN
23	78XEN-760200-G04	Charger	1	65/78XEN
24	GB/T 5783 M6×20	Bolt M6×20	4	65/78XEN


1.6 Switches and alarm light assembly



1.6 Switches and alarm light assembly

Item	Part No.	Description	Qty	Serial	Notes
1	78XEN-410000-002	Frame	1	65/78XEN	
	80XENS-410000-001	Frame	1	80/100XENS	
	140XEN-410000-003	Frame	1	80/100	
	140XEN-410000-003	Frame	1	120/140XEN	-2024.07.01
	HS1412HI-410000-000	Frame	1	120/140XEN	2024.07.01-
	160XEN-410000-003	Frame	1	160XEN	
	HS1614HI-410000-000	Frame	1	HS1614H	
	160XENS-410000-000	Frame	1	160XENS	
2	78XEN-741101-G01	Alarm lamp	1		
3	140XEN-400100-000	Switch cover	1		
4	GB/T 5783 M5×16	Bolt M5×16	16		
5	GB/T 97 5	Plain washer 5	16		
6	GB/T 93 5	Spring washer 5	16		
7	140XEN-740002-000	Bracket B	1		
8	GB/T 5783 M4×35	Bolt M4×35	4		
9	GB/T 93 4	Spring washer 4	6		
10	GB/T 97 4	Plain washer 4	10		
11	78XEN-740600-G00	Limit switch	2		
12	140XEN-740001-000	Bracket A	1		
13	140XEN-740600-G00	Limit switch	2		
14	78XEN-740700-G00	Tilt sensor	1		
15	GB/T 5783 M4×12	Bolt M4×12	2		
16	GB/T 5783 M10×30	Bolt M10×30	4		
17	140XEN-401300-G00	Hook	2		
18	GB/T 889 M10	Hexagon nut M10	4		
19	GB/T 70.2 M6×16	Screw M6×16	8	160XEN,160XENS, HS1614H	
20	GB/T 93 6	Spring washer 6	8	160XEN,160XENS, HS1614H	
21	GB/T 97 6	Plain washer 6	8	160XEN,160XENS, HS1614H	
22	160XENS-400001-000	Cover plate	2	160XEN,160XENS, HS1614H	

1.7 Oil tank




1.7 Oil tank

Item	Part No.	Description	Qty	Serial
1	78XEN-610101-001	Tank body	1	65/78XEN
	140XEN-610101-001	Tank body	1	80/100/120/140/160XEN, 80/100/160XENS
	HS1614HI-610101-000	Tank body	1	HS1614H
2	78XEN-610102-001	Return pipe assembly	1	65/78/80/100/120/140/160XEN, 80/100/160XENS
	HS1614HI-610102-000	Return pipe assembly	1	HS1614H
3	140XEN-610108-001	Breathing cover	1	65/78/80/100/120/140/160XEN, 80/100/160XENS
	HS1614HI-610108-000	Breathing cover	1	HS1614H
4	78XEN-610106-001	Tank cap	1	65/78XEN
	140XEN-610106-001	Tank cap	1	80/100/120/140/160XEN, 80/100/160XENS
	HS1614HI-610106-000	Tank cap	1	HS1614H
5	78XEN-610107-001	Gasket	1	65/78XEN
	140XEN-610107-001	Gasket	1	80/100/120/140/160XEN, 80/100/160XENS
	HS1614HI-610104-000	Gasket	1	HS1614H
6	78XEN-610104-001	Filter	1	65/78XEN
	140XEN-610104-001	Filter	1	80/100/120/140/160XEN, 80/100/160XENS
	HS1614HI-610104-001	Filter	1	HS1614H
7	78XEN-610103-001	Suction pipe assembly	1	65/78XEN
	140XEN-610103-001	Suction joint	1	80/100/120/140/160XEN, 80/100/160XENS
	HS1614HI-610103-000	Suction pipe assembly	1	HS1614H
8	140XEN-610112-001	Plug	1	

2 Scissors

2.1 Scissors assembly (65XEN)




2.1 Scissors assembly (65XEN)

Item	Part No.	Description	Qty
1	GB/T 5783 M8×30	Bolt M8×30	2
2	GB/T 93 8	Spring washer 8	2
3	GB/T 97 8	Plain washer 8	4
4	78XEN-020002-000	Pin	4
5	GB/T 70 M8×40	Screw M8×40	2
6	78XEN-820006-000	Nylon pad	1
7	78XEN-300003-000	Adjusting shim	2
8	GB/T 5783 M10×30	Bolt M10×30	2
9	GB/T 97 10	Plain washer 10	20
10	GB/T 93 10	Spring washer 10	2
11	78XEN-900004-000	Slider	2
12	78XEN-901004-000	Pin	2
13	78XEN-901007-000	Pin	2
14	78XEN-920100-000	Bottom external frame	1
15	GB/T 889 M8	Hexagon nut M8	2
16	78XEN-920300-000	External frame 1	1
17	78XEN-300001-000	Thick gasket	8
18	GB/T 889 M10	Hexagon nut M10	16
19	GB/T 70 M10×60	Screw M10×60	10
20	65XEN-910300-000	Internal frame C	1
21	JB/ZQ 4342 30	Clamp spring 30	8
22	78XEN-901001-000	Pin	6
23	GB/T 70 M10×100	Screw M10×100	4
24	78XEN-900003-000	Slider	4
25	78XEN-901006-000	Pin	4
26	78XEN-920200-000	Top external frame	1
27	78XEN-901002-000	Pin	2
28	CT-503030-G00	Fibre bushing	22
29	78XEN-920500-000	External frame 3	1
30	GB/T 70 M10×30	Screw M10×30	2
31	78XEN-900005-000	Plastic ring	2
32	78XEN-900101-000	Maintenance arm	2
33	78XEN-910200-000	Internal frame B	1
34	78XEN-300001-000	Thick gasket	8
35	Refer to legend 4.4	Lifting cylinder	1
36	78XEN-910100-000	Internal frame A	1

37	78XEN-901003-000	Pin	1
38	78XEN-741200-G00	Angle sensor	1
39	GB/T 5783 M4×12	Bolt M4×12	2
40	GB/T 93 4	Spring washer 4	2
41	GB/T 97 4	Plain washer 4	2

2.2 Scissors assembly (78XEN)




2.2 Scissors assembly (78XEN)

Item	Part No.	Description	Qty
1	GB/T 5783 M8×30	Bolt M8×30	2
2	GB/T 93 8	Spring washer 8	2
3	GB/T 97 10	Plain washer 8	4
4	78XEN-901003-000	Pin	1
5	GB/T 70 M8×40	Screw M8×40	2
6	78XEN-820006-000	Nylon pad	1
7	78XEN-900004-000	Slider	2
8	78XEN-901004-000	Pin	2
9	78XEN-300003-000	Adjusting shim	2
10	GB/T 70 M10×60	Screw M10×60	13
11	78XEN-910100-000	Internal frame A	1
12	GB/T 889 M8	Hexagon nut M8	2
13	78XEN-910200-000	Internal frame B	1
14	JB/ZQ 4342 30	Clamp spring 30	11
15	78XEN-300001-000	Thick gasket	11
16	CT-503030-G00	Fibre bushing	28
17	78XEN-830002-001	Rubber	24
18	78XEN-910400-000	Internal frame D	1
19	78XEN-901001-000	Pin	9
20	GB/T 889 M10	Hexagon nut M10	19
21	78XEN-900003-000	Slider	4
22	GB/T 70 M10×100	Screw M10×100	4
23	78XEN-901006-000	Pin	4
24	78XEN-920200-000	Top external frame	1
25	GB/T 5783 M10×30	Bolt M10×30	2
26	GB/T 93 10	Spring washer 10	2
27	GB/T 97 10	Plain washer 10	23
28	78XEN-020002-000	Pin	4
29	78XEN-901007-000	Pin	2
30	78XEN-920400-000	External frame 2	1
31	78XEN-910300-000	Internal frame C	1
32	78XEN-901002-000	Pin	2
33	78XEN-920500-000	External frame 3	1
34	GB/T 70 M10×30	Screw M10×30	2
35	78XEN-900005-000	Plastic ring	2
36	78XEN-900101-000	Maintenance arm	2

37	78XEN-920300-000	External frame 1	2
38	Refer to legend 4.4	Lifting cylinder	1
39	78XEN-920100-000	Bottom external frame	1
40	78XEN-741200-G00	Angle sensor	1
41	GB/T 5783 M4×12	Bolt M4×12	2
42	GB/T 93 4	Spring washer 4	2
43	GB/T 97 4	Plain washer 4	2

2.3 Scissors assembly (80XEN/80XENS)




2.3 Scissors assembly (80XEN/80XENS)

Item	Part No.	Description	Qty	Serial
1	GB/T 5783 M8×30	Bolt M8×30	2	
2	GB/T 93 8	Spring washer 8	2	
3	GB/T 97 8	Plain washer 8	4	
4	78XEN-020002-000	Pin	4	
5	140XEN-901003-000	Pin	1	
6	GB/T 70 M8×25	Screw M8×25	2	80XEN
	GB/T 70 M8×40	Screw M8×40	2	80XENS
7	78XEN-820007-000	Nylon pad	1	80XEN
	78XEN-820006-000	Nylon pad	1	80XENS
8	78XEN-300003-000	Adjusting shim	2	
9	140XEN-900004-000	Slider	2	
10	140XEN-901004-000	Pin	2	80XEN
	80XENS-901004-000	Pin	2	80XENS
11	140XEN-910100-000	Internal frame A	1	80XEN
	80XENS-910100-000	Internal frame A	1	80XENS
12	GB/T 889 M8	Hexagon nut M8	2	
13	140XEN-920300-000	External frame 1	1	
14	140XEN-300001-000	Thick gasket	9	
15	140XEN-910200-000	Internal frame B	1	
16	140XEN-920500-000	External frame 3	1	
17	78XEN-830002-001	Rubber	16	
18	140XEN-901002-000	Pin	4	
19	GB/T 70 M10×75	Screw M10×75	11	
20	140XEN-920200-000	Top external frame	1	80XEN
	80XENS-920200-000	Top external frame	1	80XENS
21	120XEN-910500-000	Internal frame E	1	80XEN
	80XENS-910300-000	Internal frame C	1	80XENS
22	JB/ZQ 4342 38	Clamp spring 38	9	
23	CT-513840-G00	Fibre bushing	20	
24	140XEN-901001-000	Pin	5	
25	GB/T 5783 M10×30	Bolt M10×30	2	
26	GB/T 93 10	Spring washer 10	2	
27	GB/T 97 10	Plain washer 10	21	
28	GB/T 70 M10×100	Screw M10×100	4	
29	140XEN-900003-000	Slider	4	80XEN
	78XEN-900003-000	Slider	4	80XENS

30	GB/T 889 M10	Hexagon nut M10	17	
31	140XEN-901006-000	Pin	4	80XEN
	78XEN-901006-000	Pin	4	80XENS
32	140XEN-901007-000	Pin	2	80XEN
	80XENS-901007-000	Pin	2	80XENS
33	CT-513840-G00	Fibre bushing	4	80XEN
	CT-523030-G00	Fibre bushing	4	80XENS
34	GB/T 70 M10×30	Screw M10×30	2	
35	140XEN-900005-000	Plastic ring	2	
36	140XEN-900101-000	Maintenance arm	2	
37	Refer to legend 4.4	Lifting cylinder	1	
38	140XEN-920200-000	Bottom external frame	1	80XEN
	80XENS-920100-000	Bottom external frame	1	80XENS
39	78XEN-741200-G00	Angle sensor	1	
40	GB/T 5783 M4×12	Bolt M4×12	2	
41	GB/T 93 4	Spring washer 4	2	
42	GB/T 97 4	Plain washer 4	2	

2.4 Scissors assembly (100XEN/100XENS)




2.4 Scissors assembly (100XEN/100XENS)

Item	Part No.	Description	Qty	Serial
1	GB/T 97 8	Plain washer 8	4	
2	GB/T 93 8	Spring washer 8	2	
3	GB/T 5783 M8×30	Bolt M8×30	2	
4	GB/T 70 M8×25	Screw M8×25	2	100XEN
	GB/T 70 M8×25	Screw M8×40	2	100XENS
5	78XEN-820007-000	Nylon pad	1	
6	78XEN-820006-000	Nylon pad	1	100XEN
	78XEN-300003-000	Adjusting shim	2	100XENS
7	140XEN-900004-000	Slider	2	
8	140XEN-901004-000	Pin	2	100XEN
	80XENS-901004-000	Pin	2	100XENS
9	140XEN-920200-000	Bottom external frame	1	100XEN
	80XENS-920100-000	Bottom external frame	1	100XENS
10	Refer to legend 4-4	Lifting cylinder	1	
11	140XEN-910100-000	Internal frame A	1	100XEN
	80XENS-910100-000	Internal frame A	1	100XENS
12	G000889-000008-00	Hexagon nut M8	2	
13	140XEN-920300-000	External frame 1	2	
14	JB/ZQ 4342 38	Clamp spring 38	12	
15	140XEN-300001-000	Thick gasket	12	
16	CT-513840-G00	Fibre bushing	26	
17	140XEN-920400-000	External frame 2	1	
18	78XEN-830002-001	Rubber	24	
19	140XEN-910500-000	Internal frame E	1	100XEN
	100XENS-910300-000	Internal frame C	1	100XENS
20	GB/T 97 10	Plain washer 10	23	
21	140XEN-920200-000	Top external frame	1	100XEN
	80XENS-920200-000	Top external frame	1	100XENS
22	GB/T 70 M10×75	Screw M10×75	13	
23	140XEN-901001-000	Pin	8	
24	140XEN-910600-000	Internal frame F	1	100XEN
	100XENS-910400-000	Internal frame D	1	100XENS
25	GB/T 889 M10	Hexagon nut M10	19	
26	140XEN-900003-000	Slider	4	100XEN
	78XEN-900003-000	Slider	4	100XENS
27	GB/T 70 M10×100	Screw M10×100	4	

28	140XEN-901006-000	Pin	4	100XEN
	78XEN-901006-000	Pin	4	100XENS
29	CT-513840-G00	Fibre bushing	4	100XEN
	CT-523030-G00	Fibre bushing	4	100XENS
30	GB/T 5783 M10×30	Bolt M10×30	2	
31	GB/T 93 10	Spring washer 10	2	
32	140XEN-901007-000	Pin	2	100XEN
	80XENS-901007-000	Pin	2	100XENS
33	140XEN-901002-000	Pin	4	
34	140XEN-910200-000	Internal frame B	1	
35	140XEN-920500-000	External frame 3	1	
36	GB/T 70 M10×30	Screw M10×30	2	
37	140XEN-900101-000	Maintenance arm	2	
38	140XEN-900005-000	Plastic ring	2	
39	140XEN-901003-000	Pin	1	
40	78XEN-020002-000	Pin	4	
41	78XEN-741200-G00	Angle sensor	1	
42	GB/T 5783 M4×12	Bolt M4×12	2	
43	GB/T 93 4	Spring washer 4	2	
44	GB/T 97 4	Plain washer 4	2	

2.5 Scissors assembly (120XEN)




2.5 Scissors assembly (120XEN)

Item	Part No.	Description	Qty	Notes
1	GB/T 70 M8×25	Screw M8×25	2	
2	78XEN-820006-000	Nylon pad	1	
3	78XEN-300003-000	Adjusting shim	2	
4	HS1614HI-900001-00	spacer sleeve	2	2024.7.1-
5	140XEN-900004-000	Slider	2	
6	140XEN-901004-000	Pin	2	
7	140XEN-901007-000	Pin	1	-2024.7.1
	HS1412HI-901007-000	Pin	1	2024.7.1-
8	GB/T 70 M10×75	Screw M10×75	19	
9	140XEN-920100-000	Bottom external frame	1	-2024.7.1
	HS1412HI-920100-000	Bottom external frame	1	2024.7.1-
10	140XEN-910100-000	Internal frame A	1	-2024.7.1
	HS1412HI-910100-000	Internal frame A	1	2024.7.1-
11	140XEN-620100-001	Lifting cylinder	1	
12	140XEN-920300-000	External frame 1	3	
13	HS1412HI-910200-000	Internal frame B	1	
14	78XEN-020002-000	Pin	4	
	HB280PI-210007-000	Pin	4	-2024.7.1
15	GB/T 97 10	Plain washer 10	36	2024.7.1-
16	140XEN-901007-000	Pin	3	
17	GB/T 93 10	Spring washer 10	4	
18	GB/T 5783 M10×30	Bolt M10×30	4	
19	140XEN-910300-000	Internal frame C	1	-2024.7.1
	HS1412HI-910300-000	Internal frame C	1	2024.7.1-
20	78XEN-830002-001	Rubber	32	
21	140XEN-910400-000	Internal frame D	1	-2024.7.1
	HS1412HI-910400-000	Internal frame D	1	2024.7.1-
22	GB/T 889 M10	Hexagon nut M10	28	
23	140XEN-900101-000	Maintenance arm	4	
24	140XEN-900005-000	Plastic ring	4	
25	GB/T 70 M10×30	Screw M10×30	4	
26	120XEN-910500-000	Internal frame E	1	-2024.7.1
	HS1412HI-910500-000	Internal frame E	1	2024.7.1-
27	140XEN-900202-000	Wiring channel B	1	
28	140XEN-920200-000	Top external frame	1	-2024.7.1
	HS1412HI-920200-000	Top external frame	1	2024.7.1-

29	140XEN-901001-000	Pin	9	-2024.7.1
	HS1412HI-901001-000	Pin	9	2024.7.1-
30	GB/T 70 M10×100	Screw M10×100	4	
31	140XEN-900003-000	Slider	4	
32	140XEN-901006-000	Pin	4	
33	140XEN-620200-001	Upper lifting cylinder	1	
34	140XEN-920500-000	External frame 3	3	
35	140XEN-901005-000	Pin	3	
36	140XEN-900201-000	Wiring channel A	3	
37	140XEN-900006-000	Stop collar	5	
38	GB/T 70 M6×16	Screw M6×16	5	
39	JB/ZQ 4342 38	Clamp spring 38	17	
40	140XEN-300001-000	Thick gasket	17	
41	CT-513840-G00	Fibre bushing	40	
42	140XEN-901002-000	Pin	5	
43	140XEN-901003-000	Pin	1	-2024.7.1
	HS1412HI-901003-000	Pin	1	2024.7.1-
44	78XEN-020002-000	Pin	2	
45	GB/T 5783 M8×30	Bolt M8×30	2	
46	GB/T93 8	Spring washer 8	2	
47	GB/T 97 8	Plain washer 8	2	
48	78XEN-741200-G00	Angle sensor	1	
49	GB/T 5783 M4×12	Bolt M4×12	2	
50	GB/T 93 4	Spring washer 4	2	
51	GB/T 97 4	Plain washer 4	2	

2.6 Scissors assembly (140XEN)




2.6 Scissors assembly (140XEN)

Item	Part No.	Description	Qty	Notes
1	GB/T 70 M8×25	Screw M8×25	2	
2	78XEN-820006-000	Nylon pad	1	
3	78XEN-300003-000	Adjusting shim	2	
4	140XEN-901007-000	spacer sleeve	1	-2024.7.1
	HS1412HI-901007-000	spacer sleeve	1	2024.7.1-
5	140XEN-900004-000	Slider	2	
6	140XEN-901004-000	Pin	2	
7	HS1614HI-900001-000	spacer sleeve	2	2024.7.1-
8	140XEN-920100-000	Bottom external frame	1	-2024.7.1
	HS1412HI-920100-000	Bottom external frame	1	2024.7.1-
9	140XEN-910100-000	Internal frame A	1	-2024.7.1
	HS1412HI-910100-000	Internal frame A	1	2024.7.1-
10	140XEN-920300-000	External frame 1	4	
11	140XEN-910200-000	Internal frame B	1	-2024.7.1
	HS1412HI-910200-000	Internal frame B	1	2024.7.1-
12	JB/ZQ 4342 38	Clamp spring 38	22	
13	140XEN-300001-000	Thick gasket	20	
14	CT-13840-G00	Fibre bushing	46	
15	140XEN-910300-000	Internal frame C	1	-2024.7.1
	HS1412HI-910300-000	Internal frame C	1	2024.7.1-
16	140XEN-901002-000	Pin	5	
17	140XEN-910400-000	Internal frame D	1	
	HS1412HI-910400-000	Internal frame D	1	-2024.7.1
18	GB/T 6183 M10	Hexagon nut M10	30	2024.7.1-
19	78XEN-830002-001	Rubber	40	
20	140XEN-900101-000	Maintenance arm	4	
21	140XEN-900005-000	Plastic ring	4	
22	GB/T 5789 M10×30	Screw M10×30	4	
23	140XEN-910500-000	Internal frame E	1	-2024.7.1
	HS1412HI-910500-000	Internal frame E	1	2024.7.1-
24	140XEN-900006-000	Stop collar	7	
25	140XEN-900202-000	Wiring channel B	2	
26	140XEN-920200-000	Top external frame	1	-2024.7.1
	HS1412HI-920200-000	Top external frame	1	2024.7.1-
27	140XEN-910600-000	Internal frame F	1	-2024.7.1
	HS1412HI-910600-000	Internal frame F	1	2024.7.1-

28	GB/T 70 M10×75	Screw M10×75	22	
29	140XEN-901001-000	Pin	12	-2024.7.1
	HS1412HI-901001-000	Pin	12	2024.7.1-
30	140XEN-900003-000	Slider	4	
31	GB/T 70 M10×100	Screw M10×100	4	
32	140XEN-901006-000	Pin	4	
33	140XEN-920400-000	External frame 2	1	
34	78XEN-020002-000	Pin	4	-2024.7.1
	HB280PI-210007-000	Pin	4	2024.7.1-
35	140XEN-901007-000	Pin	3	
36	140XEN-920500-000	External frame 3	3	
37	140XEN-620200-001	Upper lifting cylinder	1	
38	140XEN-901005-000	Pin	3	
39	140XEN-900201-000	Wiring channel A	3	
40	GB/T 70.2 M6×16	Screw M6×16	7	
41	140XEN-620100-001	Lifting cylinder	1	
42	140XEN-901003-000	Pin	1	-2024.7.1
	HS1412HI-901003-000	Pin	1	2024.7.1-
43	GB/T 5789 M8×30	Bolt M8×30	2	
44	78XEN-020002-000	Pin	2	
45	78XEN-741200-G00	Angle sensor	1	
46	GB/T 5783 M4×12	Bolt M4×12	2	
47	GB/T 93 4	Spring washer 4	2	
48	GB/T 97 4	Plain washer 4	2	

2.7 Scissors assembly (160XEN/160XENS)




2.7 Scissors assembly (160XEN/160XENS)

Item	Part No.	Description	Qty	Serial
1	GB/T 5783 M8×30	Bolt M8×30	2	
2	GB/T 93 8	Spring washer 8	2	
3	GB/T 97 8	Plain washer 8	2	
4	140XEN-900004-000	Slider	2	
5	GB/T 70 M8×25	Screw M8×25	2	
6	160XEN-901004-000	Pin	2	160XEN
	160XENS-901004-000	Pin	2	160XENS
7	78XEN-820006-000	Nylon pad	1	
8	78XEN-300003-000	Adjusting shim	2	
9	Refer to legend 4-4	Lifting cylinder	1	
10	160XEN-910200-000	Internal frame B	1	
11	JB/ZQ 4342 38	Clamp spring 38	22	
12	140XEN-300001-000	Thick gasket	20	
13	160XEN-910300-000	Internal frame C	1	
14	140XEN-901002-000	Pin	6	
15	78XEN-830002-001	Rubber	40	
16	140XEN-900101-000	Maintenance arm	4	
17	GB/T 889 M10	Hexagon nut M10	30	
18	GB/T 97 10	Plain washer 10	38	
19	140XEN-900005-000	Plastic ring	4	
20	GB/T 70 M10×30	Screw M10×30	4	
21	160XEN-920300-000	External frame 1	4	
22	160XEN-910500-000	Internal frame E	1	
23	GB/T 70 M10×75	Screw M10×75	22	
24	160XEN-910600-000	Internal frame F	1	
25	140XEN-901001-000	Pin	12	
26	GB/T 70 M10×100	Screw M10×100	4	
27	140XEN-900003-000	Slider	4	
28	140XEN-901006-000	Pin	4	
29	160XEN-920200-000	Top external frame	1	
30	GB/T 5783 M10×30	Bolt M10×30	4	
31	GB/T 93 10	Spring washer 10	4	
32	140XEN-901007-000	Pin	4	
33	160XEN-920400-000	External frame 2	1	
34	160XEN-910400-000	Internal frame D	1	
35	Refer to legend 4-5	Upper lifting cylinder	1	

36	160XEN-920500-000	External frame 3	3	
37	140XEN-901005-000	Pin	2	
38	160XEN-900201-000	Wiring channel A	2	
39	140XEN-900006-000	Stop collar	2	
40	GB/T 70 M6×16	Screw M6×16	2	
41	160XEN-920100-000	Bottom external frame	1	160XEN
	160XENS-920100-000	Bottom external frame	1	160XENS
42	CT-513840-G00	Fibre bushing	46	
43	160XEN-910100-000	Internal frame A	1	
44	140XEN-901003-000	Pin	1	
45	78XEN-020002-000	Pin	6	
46	78XEN-741200-G00	Angle sensor	1	
47	GB/T 5783 M4×12	Bolt M4×12	2	
48	GB/T 93 4	Spring washer 4	2	
49	GB/T 97 4	Plain washer 4	2	

2.8 Scissors assembly (HS1614H)




2.8 Scissors assembly (HS1614H)

Item	Part No.	Description	Qty	Serial
1	GB/T 70 M8×25	Screw M8×25	2	
2	78XEN-820006-000	Nylon pad	1	
3	78XEN-300003-000	Adjusting shim	2	
4	HS1614HI-901007-000	Pin	1	
5	140XEN-900004-000	Slider	2	
6	HS1614HI-900001-000	spacer sleeve	2	
7	HS1614HI-920100-000	Bottom external frame	1	
8	HS1614HI-910100-000	Internal frame A	1	
9	HS1614HI-920300-000	External frame 1	4	
10	HS1614HI-910200-000	Internal frame B	1	
11	JB/ZQ 4342 38	Clamp spring 38	22	
12	140XEN-300001-000	Thick gasket	20	
13	CT-13840-G00	Fibre bushing	46	
14	HS1614HI-910300-000	Internal frame C	1	
15	HS1614HI-901002-000	Pin	3	
16	HS1614HI-910400-000	Internal frame D	1	
17	GB/T 6183 M10	Hexagon nut M10	30	
18	78XEN-830002-001	Rubber	40	
19	140XEN-900101-000	Maintenance arm	4	
20	140XEN-900005-000	Plastic ring	4	
21	GB/T 5789 M10×30	Screw M10×30	4	
22	HS1614HI-910500-000	Internal frame E	1	
23	140XEN-900006-000	Stop collar	7	
24	160XEN-900202-000	Wiring channel B	2	
25	HS1614HI-920200-000	Top external frame	1	
26	HS1614HI-910600-000	Internal frame F	1	
27	HS1614HI-901001-000	Pin	12	
28	GB/T 70 M10×75	Screw M10×75	22	
29	140XEN-900003-000	Slider	4	
30	GB/T 70 M10×100	Screw M10×100	4	
31	140XEN-901006-000	Pin	4	
32	HS1614HI-920400-000	External frame 2	1	
33	HB280PI-210007-000	Pin	4	
34	HS1614HI-901008-000	Pin	3	
35	HS1614HI-920500-000	External frame 3	3	
36	HS1614HI-620200-000	Upper lifting cylinder	1	

37	HS1614HI-901005-000	Pin	2	
38	160XEN-900201-000	Wiring channel A	3	
39	GB/T 70.2 M6×16	Screw M6×16	7	
40	160XEN-620100-001	Lifting cylinder	1	
41	HS1614HI-901003-000	Pin	1	
42	GB/T 5789 M8×30	Bolt M8×30	2	
43	78XEN-020002-000	Pin	2	
44	78XEN-741200-G00	Angle sensor	1	
45	GB/T 5783 M4×12	Bolt M4×12	2	
46	GB/T 93 4	Spring washer 4	2	
47	GB/T 97 4	Plain washer 4	2	

3 Platform


3.1 Fixed platform assembly (65/78XEN,80/100XENS)



3.1 Fixed platform assembly (65/78XEN,80/100XENS)

Item	Part No.	Description	Qty	Serial
1	78XEN-810100-000	Fixed platform	1	65/78XEN
	80XENS-810100-000	Fixed platform	1	80/100XENS
2	GB/T 893.1 A-47	Clamp spring 47	2	
3	GB/T 276 6204-Z	Bearing6204-Z	2	
4	60XEND-800002-000	Roller	2	
5	140XEN-800500-000	Roller bracket	2	
6	GB/T 70 M10×45	Screw M10×45	8	
7	78XEN-810300-000	Guardrail support plate	2	
8	78XEN-810200-000	Left guardrail	2	65/78XEN
	80XENS-810200-000	Left guardrail	2	80/100XENS
9	140XEN-800600-000	Spring Hinge	1	
10	GB/T 5789 M6×50	Bolt M6×50	12	
11	GB/T 6183 M6	Hexagon nut M6	12	
12	78XEN-810400-000	Door support plate	1	
13	78XEN-810600-000	Rear guardrail	1	
14	78XEN-810700-000	Entrance door	1	
15	60XEND-800012-000	Rubber pad	2	
16	GB/T 5783 M5×16	Bolt M5×16	2	
17	GB/T889 M5	Hexagon nut M5	2	
18	140XEN-800009-000	Spring	1	
19	140XEN-800001-000	Plastic pin	1	
20	GB/T 5789 M10×55	Bolt M10×55	1	
21	GB/T 6183 M10	Hexagon nut M10	1	
22	78XEN-810500-000	Door support plate	1	
23	140XEN-800800-000	D-latch	2	
24	GB/T 5789 M8×50	Bolt M8×50	18	
25	GB/T 6183 M8	Hexagon nut M8	18	
26	78XEN-200002-000	Fixed plate	1	
27	GB/T 70 M5×12	Screw M5×12	2	
28	GB/T 93 5	Spring washer 5	2	
29	GB/T 97 5	Plain washer 5	2	

3.2 Extended platform assembly (65/78XEN,80/100XENS)




3.2 Extended platform assembly (65/78XEN,80/100XENS)

Item	Part No.	Description	Qty	Serial
1	78XEN-820100-000	Extension platform	1	
2	GB/T70 M10×45	Screw M10×45	8	
3	140XEN-800500-000	Roller bracket	2	
4	60XEND-800001-000	Roller	2	
5	GB/T 5787 M8×20	Bolt M8×20	2	
6	GB/T 276 6204-Z	Bearing6204-Z	2	
7	GB/T 893.1 A-47	Clamp spring 47	2	
8	140XEN-801000-000	Platform pedal	1	Refer to legend 3.5
9	78XEN-820300-000	Right guardrail	1	
10	78XEN-820600-000	Front guardrail	1	
11	78XEN-820400-000	Guardrail support plate	4	
12	GB/T 5783 M6×16	Bolt M6×16	8	
13	GB/T 93 6	Spring washer 6	4	
14	GB/T 97 6	Plain washer 6	12	
15	60XEND-800400-000	Handle bracket	1	
16	78XEN-750000-G00	Control handle	1	
17	78XEN-820100-G00	File box	1	
18	GB/T 5789 M6×16	Bolt M6×16	4	
19	GB/T 923 M6	Hexagon nut M6	4	
20	140XEN-800800-000	D-latch	2	
21	78XEN-820200-000	Left guardrail	1	
22	60XEND-800012-000	Rubber pad	4	
23	GB/T126181 4×16	Rivet 4×16	4	
24	GB/T 5789 M8×50	Bolt M8×50	14	
25	GB/T 6183 M8	Hexagon nut M8	14	

3.3 Fixed platform assembly

(80/100/120/140/160XEN,160XENS,HS1614H)




3.3 Fixed platform assembly

(80/100/120/140/160XEN,160XENS,HS1614H)

Item	Part No.	Description	Qty	Serial
1	140XEN-810100-000	Fixed platform	1	80/100/120/140XEN
	160XEN-810100-000	Fixed platform	1	160XEN,160XENS
	HS1614HI-810100-000	Fixed platform	1	HS1614H
2	GB/T 893.1 A-47	Clamp spring 47	2	
3	GB/T 276 6204-Z	Bearing6204-Z	2	
4	60XEND-800002-000	Roller	2	
5	140XEN-800500-000	Roller bracket	2	
	140XEN-800500-000	Roller bracket	1	HS1614H
	HS1614HI-800500-000	Roller bracket	1	HS1614H
6	GB/T 70 M10×45	Screw M10×45	8	
7	140XEN-810200-000	Left guardrail	2	80/100/120/140XEN
	160XEN-810200-000	Left guardrail	2	160XEN,160XENS
8	140XEN-800600-000	Spring Hinge	2	
9	GB/T 5789 M6×50	Bolt M6×50	12	
10	GB/T 6183 M6	Hexagon nut M6	12	
11	140XEN-810400-000	Rear guardrail	1	
12	140XEN-810500-000	Entrance door	1	
13	60XEND-800012-000	Rubber pad	2	
14	GB/T 5783 M5×16	Bolt M5×16	2	
15	GB/T 889 M5	Hexagon nut M5	2	
16	140XEN-800009-000	Spring	1	
17	140XEN-800001-000	Plastic pin	1	
18	GB/T 5789 M10×55	Bolt M10×55	1	
19	GB/T 6183 M10	Hexagon nut M10	1	
20	140XEN-800800-000	D-latch	2	
21	GB/T 5789 M8×60	Bolt M8×60	6	
22	GB/T 6183 M8	Hexagon nut M8	6	
23	78XEN-200002-000	Fixed plate	1	
24	GB/T 70.2 M5×12	Screw M5×12	2	
25	GB/T 97 5	Plain washer 5	2	
26	GB/T 93 5	Spring washer 5	2	

3.4 Extended platform assembly

(80/100/120/140/160XEN,160XENS,HS1614H)




3.4 Extended platform assembly

(80/100/120/140/160XEN,160XENS,HS1614H)

Item	Part No.	Description	Qty	Serial
1	140XEN-820100-000	Extension platform	1	HS1614H
	HS1614HI-820100-000	Extension platform	1	
2	GB/T 70 M10×45	Screw M10×45	8	
3	140XEN-800500-000	Roller bracket	2	
4	60XEND-800001-000	Roller	2	
5	GB/T 276 6204-Z	Bearing 6204-Z	2	
6	GB/T 893.1 A-47	Clamp spring 47	2	
7	GB/T 5789 M8×20	Bolt M8×20	2	
8	140XEN-801000-000	Platform pedal	1	Refer to legend 3.5
9	140XEN-820300-000	Right guardrail	1	
10	140XEN-820400-000	Front guardrail	1	HS1614H
	HS1614HI-820400-000	Front guardrail	1	
11	GB/T 5783 M6×16	Bolt M6×16	4	
12	GB/T 93 6	Spring washer 6	4	
13	GB/T 97 6	Plain washer 6	8	
14	140XEN-800400-000	Handle bracket	1	
15	78XEN-750000-G00	Control handle	1	
16	78XEN-820100-G00	File box	1	
17	GB/T 5789 M6×16	Bolt M6×16	4	
18	GB/T 923 M6	Hexagon nut M6	4	
19	140XEN-800800-000	D-latch	2	
20	140XEN-820200-000	Left guardrail	1	
21	60XEND-800012-000	Rubber pad	4	
22	GB/T 126181 4×16	Rivet 4×16	4	
23	GB/T 5789 M8×60	Bolt M8×60	6	
24	GB/T 6183 M8	Hexagon nut M8	6	


3.5 Pedal assembly



Item	Part No.	Description	Qty	Serial
1	140XEN-801004-000	Pin	1	
2	140XEN-801005-000	Spring	1	
3	140XEN-801001-000	Pedestal		
4	140XEN-801003-000	Guide sleeve	1	
5	140XEN-801002-000	Pedal	1	
6	GB/T 97 10	Plain washer 10	3	
7	GB/T 889 M10	Hexagon nut M10	2	
8	GB/T 5783 M10×50	Bolt M10×50	1	

4 Hydraulic system


4.1 Hydraulic pipeline (65/78XEN)



4.1 Hydraulic pipeline (65/78XEN)

Item	Part No.	Description	Qty	Serial	Notes
1	JT-110824-G00	Connector G1/2-M24	1		
2	JT-110820-G00	Connector G1/2-M20	5		
3	JT-202020-G00	Connector M20	3		
4	JT-110620-G00	Connector G3/8-M20	8		
5	JT-102220-G00	Connector M22-M20	2		
6	JT-110416-G00	Connector G1/4-M16	5		
7	JT-201616-G00	Connector M16	1		
8	JT-110716-G00	Connector G7/16-M16	5		
9	160XEN-600001-000	Connector	1		
10	78XEN-630201-000	Air pipe	1		
11	78XEN-630001-004	Rubber pipe	1		
12	78XEN-630002-002	Rubber pipe	1		
13	78XEN-630010-001	Rubber pipe	1		
14	78XEN-630009-002	Rubber pipe	1		-2024.2
	140XEN-630109-000	Rubber pipe	1		2024.2-
15	140XEN-630008-002	Rubber pipe	1		
16	78XEN-630008-002	Rubber pipe	1		
17	78XEN-630006-001	Rubber pipe	1		
18	78XEN-630005-001	Rubber pipe	2		
19	78XEN-630004-001	Rubber pipe	4		
20	78XEN-630007-002	Rubber pipe	1		


4.2 Hydraulic pipeline (80/100XEN,80/100XENS)



4.2 Hydraulic pipeline (80/100XEN,80/100XENS)

Item	Part No.	Description	Qty	Serial
1	JT-110824-G00	Connector G1/2-M24	1	
2	JT-110820-G00	Connector G1/2-M20	5	
3	JT-202020-G00	Connector M20	3	
4	JT-110620-G00	Connector G3/8-M20	8	
5	JT-102220-G00	Connector M22-M20	2	
6	JT-110416-G00	Connector G1/4-M16	5	
7	JT-201616-G00	Connector M16	2	80/100XEN
	JT-201616-G00	Connector M16	1	80/100XENS
8	JT-110716-G00	Connector G7/16-M16	5	
9	160XEN-600001-000	Connector	1	
10	140XEN-630001-002	Rubber pipe	1	
11	140XEN-630002-002	Rubber pipe	1	
12	140XEN-630009-003	Rubber pipe	1	
13	140XEN-630109-000	Rubber pipe	1	
14	160XEN-630014-000	Rubber pipe	1	80/100XEN
	140XEN-630008-002	Rubber pipe	1	80/100XENS
15	140XEN-630008-002	Rubber pipe	1	80/100XEN
	78XEN-630008-001	Rubber pipe	1	80/100XENS
16	140XEN-630006-000	Rubber pipe	1	
17	140XEN-630005-001	Rubber pipe	2	80/100XEN
	78XEN-630005-001	Rubber pipe	2	80/100XENS
18	140XEN-630004-001	Rubber pipe	4	80/100XEN
	80XENS-630004-000	Rubber pipe	4	80/100XENS
19	140XEN-630007-002	Rubber pipe	1	
20	80XEN-630201-000	Air pipe	1	80/100XEN
	80XENS-630201-000	Air pipe	1	80/100XENS
21	JT-202424-G00	Connector M24	1	

4.3 Hydraulic pipeline (120/140/160XEN,160XENS,HS1614H)




4.3 Hydraulic pipeline (120/140/160XEN,160XENS,HS1614H)

Item	Part No.	Description	Qty	Serial
1	JT-110824-G00	Connector G1/2-M24	1	120/140/160XEN, 160XENS
	JT-110822-G01	Connector G1/2-M22	1	HS1614H
2	JT-110820-G00	Connector G1/2-M20	5	
3	JT-202020-G00	Connector M20	4	
4	JT-110620-G00	Connector G3/8-M20	9	
5	JT-102220-G00	Connector M22-M20	2	
6	JT-110416-G00	Connector G1/4-M16	5	
7	JT-110716-G00	Connector G7/16-M16	5	
8	JT-201616-G00	Connector M16	2	
9	160XEN-600001-000	Connector	2	
10	140XEN-630202-000	Air pipe	1	120/140XEN
	160XEN-630202-000	Air pipe	1	160XEN,160XENS,HS1614H
11	140XEN-630001-002	Rubber pipe	1	120/140/160XEN, 160XENS
	HS1418RPI-630203-000	Rubber pipe	1	HS1614H
12	140XEN-630002-002	Rubber pipe	1	
13	140XEN-630009-003	Rubber pipe	1	
14	140XEN-630109-000	Rubber pipe	1	
15	160XEN-630014-000	Rubber pipe	1	120/140XEN
	160XEN-630008-001	Rubber pipe	1	160XEN,160XENS,HS1614H
16	140XEN-630008-002	Rubber pipe	1	120/140XEN
	160XEN-630014-000	Rubber pipe	1	160XEN,160XENS,HS1614H
17	140XEN-630006-000	Rubber pipe	1	120/140XEN
	160XEN-630006-000	Rubber pipe	1	160XEN,160XENS,HS1614H
18	140XEN-630005-001	Rubber pipe	2	120/140XEN
	160XEN-630005-001	Rubber pipe	2	160XEN,160XENS,HS1614H
19	140XEN-630004-001	Rubber pipe	4	120/140XEN
	160XEN-630004-001	Rubber pipe	4	160XEN,160XENS,HS1614H
20	140XEN-630007-002	Rubber pipe	1	120/140XEN
	160XEN-630007-002	Rubber pipe	1	160XEN,160XENS,HS1614H
21	JT-202424-G00	Connector M24	1	120/140/160XEN, 160XENS
	JT-202222-G00	Connector M22	1	HS1614H
22	JT-312020-G00	Connector M20	1	
23	140XEN-630010-004	Rubber pipe	1	120/140XEN
	160XEN-630010-004	Rubber pipe	1	160XEN,160XENS,HS1614H
24	76XEND-600001-G00	Connector	1	
25	140XEN-630201-000	Air pipe	1	120/140XEN

	160XEN-630201-000	Air pipe	1	160XEN,160XENS,HS1614H
26	140XEN-630203-000	Air pipe	1	120/140XEN
	160XEN-630203-000	Air pipe	1	160XEN,160XENS,HS1614H

4.4 Lifting cylinder assembly




4.4 Lifting cylinder assembly

Item	Part No.	Description	Qty	Serial
1	78XEN-620100-002	Lifting cylinder	1	65/78XEN
	80XENS-620100-000	Lifting cylinder	1	80/100XENS
	140XEN-620100-001	Lifting cylinder	1	80/100/120/140XEN
	160XEN-620100-001	Lifting cylinder	1	160XEN,160XENS,HS1614H
2	78XEN-640500-010	Digging rope	1	65/78XEN
	140XEN-400440-010	Digging rope	1	80/100/120/140XEN,80/100XENS
	160XEN-400440-010	Digging rope	1	160XEN,160XENS,HS1614H
3	140XEN-641200-G30	Lower cylinder valve	1	
3-1	140XEN-641210-G30	bracket	1	
3-2	140XEN-641202-G30	Solenoid coil	1	
3-3	140XEN-641201-G30	Valve element	1	
3-4	140XEN-641205-G30	Damping plug	1	
3-5	140XEN-641211-G30	Check valves	1	
4	GB/T 70 M8×60	Screw M8×60	4	
5	GB/T 93 8	Spring washer 8	4	
6	78XEN-741300-G01	Pressure sensor block	1	
7	78XEN-620001-000	Cylinder seal package	1	65/78XEN
	80XENS-620001-000	Cylinder seal package	1	80/100XENS
	140XEN-620001-000	Cylinder seal package	1	80/100/120/140/160XEN,160XENS
	160XEN-620001-000	Cylinder seal package	1	HS1614H


4.5 Upper lifting cylinder assembly

(120/140XEN,160XEN,160XENS,HS1614H)



Item	Part No.	Description	Qty	Serial
1	140XEN-620200-000	Lifting cylinder	1	120/140XEN
	160XEN-620200-001	Lifting cylinder	1	160XEN,160XENS
	HS1614HI-620200-000	Lifting cylinder	1	HS1614H
2	140XEN-640400-G03	Upper cylinder valve	1	
2-1	140XEN-640402-G03	Solenoid coil	1	
2-2	140XEN-640401-G03	Valve element	1	
3	GB/T 70 M8×55	Screw M8×55	4	
4	GB/T 93 8	Spring washer 8	4	
5	JT-400014-G00	Plug M14	1	
6	140XEN-620002-000	Cylinder seal package	1	120/140/160XEN,160XENS
	160XEN-620002-000	Cylinder seal package	1	HS1614H

4.6 Valve bank




4.6 Valve bank

Item	Part No.	Description	Qty	Serial
1	140XEN-640101-G20	Relief valve	1	
2	140XEN-640102-G20	Relief valve	1	
3	140XEN-640103-G20	Relief valve	1	
4	140XEN-640104-G20	Solenoid directional valve	1	
5	140XEN-640105-G20	Solenoid directional valve	1	
6	140XEN-640106-G20	Solenoid directional valve	1	
7	140XEN-640107-G20	Solenoid directional valve	1	
8	140XEN-640108-G20	Solenoid Coil	4	
9	140XEN-640109-G20	Solenoid Coil	2	
10	140XEN-640110-G20	Flow valve	1	
11	140XEN-640111-G20	Check valve	1	
12	140XEN-640112-G20	Check valve	2	
13	140XEN-640113-G20	Check valve	1	
14	140XEN-640114-G20	Orifice	1	

5 Electric System


5.1-A Electric harness (65/78XEN,80/100XENS Lead acid battery)



5.1-A Electric harness (65/78XEN,80/100XENS Lead acid battery)

Item	Part No.	Description	Qty	Serial
1	HS0708HI-710000-Q01	Main harness	1	65/78XEN
	HS1412HI-710000-Q01	Main harness	1	80/100XENS
2	78XEN-720000-002	Switch harness	1	65/78XEN
	80XENS-720000-002	Switch harness	1	80/100XENS
3	78XEN-700300-000	Angle sensor harness	1	65/78XEN
	140XEN-700300-000	Angle sensor harness	1	80/100XENS
4	78XEN-700200-001	Pressure sensor harness	1	65/78XEN
	140XEN-700200-002	Pressure sensor harness	1	80/100XENS
5	HS1412AI-730600-000	Cable	1	
6	HS1412AI-730300-000	Cable	1	
7	78XEN-730300-000	Cable	1	65/78XEN
	80XENS-730300-000	Cable	1	80/100XENS
8	78XEN-730600-000	Cable	1	65/78XEN
	80XENS-730600-000	Cable	1	80/100XENS
9	65XEN-700100-001	Handle cable	1	65XEN
	78XEN-700100-001	Handle cable	1	78XEN
	80XENS-700100-001	Handle cable	1	80XENS
	100XEN-700100-001	Handle cable	1	100XENS
10	78XEN-730100-000	Cable	1	65/78XEN
	140XEN-730100-004	Cable	1	80/100XENS
11	78XEN-730800-000	Cable	1	
12	78XEN-730700-000	Cable	2	
13	78XEN-760201	Charger wire	1	

5.1-B Electric harness (65/78XEN,80/100XENS Lithium battery)



5.1-B Electric harness (65/78XEN,80/100XENS Lithium battery)


Item	Part No.	Description	Qty	Serial
1	HS0708HI-710000-Q01	Main harness	1	65/78XEN
	HS1412HI-710000-Q01	Main harness	1	80/100XENS
2	78XEN-720000-002	Switch harness	1	65/78XEN
	80XENS-720000-002	Switch harness	1	80/100XENS
3	78XEN-700300-000	Angle sensor harness	1	65/78XEN
	140XEN-700300-000	Angle sensor harness	1	80/100XENS
4	78XEN-700200-001	Pressure sensor harness	1	65/78XEN
	140XEN-700200-002	Pressure sensor harness	1	80/100XENS
5	HS1412AI-730600-000	Cable	1	
6	HS1412AI-730300-000	Cable	1	
7	78XEN-730300-001	Cable	1	65/78XEN
	80XENS-730300-000	Cable	1	80/100XENS
8	78XEN-730600-000	Cable	1	65/78XEN
	80XENS-730600-000	Cable	1	80/100XENS
9	65XEN-700100-001	Handle cable	1	65XEN
	78XEN-700100-001	Handle cable	1	78XEN
	80XENS-700100-001	Handle cable	1	80XENS
	100XEN-700100-001	Handle cable	1	100XENS
10	78XEN-730100-001	Cable	1	65/78XEN
	140XEN-730100-002	Cable	1	80/100XENS
11	78XEN-730800-000	Cable	1	
12	78XEN-730700-000	Cable	2	
13	78XEN-760201	Charger wire	1	

5.2-A Electric harness (80/100/120/140/160XEN,160XENS,HS1614H Lead acid battery)

Item	Part No.	Description	Qty	Serial
1	HS1412HI-710000-Q01	Main harness	1	
2	100XEN-720000-002	Switch harness	1	80/100XEN
	140XEN-720000-004	Switch harness	1	120/140XEN
	160XEN-720000-004	Switch harness	1	160XEN,160XENS,HS1614H
3	140XEN-700300-000	Angle sensor harness	1	80/100/120/140XEN
	160XEN-700300-000	Angle sensor harness	1	160XEN,160XENS,HS1614H
4	140XEN-700200-002	Pressure sensor harness	1	80/100/120/140XEN
	160XEN-700200-002	Pressure sensor harness	1	160XEN,160XENS,HS1614H
5	HS1412AI-730600-000	Cable	1	
6	HS1412AI-730300-000	Cable	1	
7	140XEN-730300-002	Cable	1	80/100/120/140XEN
	160XEN-730300-002	Cable	1	160XEN,160XENS,HS1614H
8	160XEN-730600-001	Cable	1	
9	80XENS-700100-001	Handle cable	1	80XEN
	100XEN-700100-001	Handle cable	1	100XEN
	120XEN-700100-001	Handle cable	1	120XEN
	140XEN-700100-001	Handle cable	1	140XEN
	160XENS-700100-000	Handle cable	1	160XEN,160XENS,HS1614H
10	140XEN-730100-004	Cable	1	
11	140XEN-730800-000	Cable	2	
12	140XEN-730700-000	Cable	2	
13	78XEN-760201	Charger wire	1	

5.2-B Electric harness (80/100/120/140/160XEN,160XENS,HS1614H


Lithium battery)



**5.2-B Electric harness (80/100/120/140/160XEN,160XENS,HS1614H
Lithium battery)**


Item	Part No.	Description	Qty	Serial
1	HS1412HI-710000-Q01	Main harness	1	
2	100XEN-720000-002	Switch harness	1	80/100XEN
	140XEN-720000-004	Switch harness	1	120/140XEN
	160XEN-720000-004	Switch harness	1	160XEN,160XENS,HS1614H
3	140XEN-700300-000	Angle sensor harness	1	80/100/120/140XEN
	160XEN-700300-000	Angle sensor harness	1	160XEN,160XENS,HS1614H
4	140XEN-700200-002	Pressure sensor harness	1	80/100/120/140XEN
	160XEN-700200-002	Pressure sensor harness	1	160XEN,160XENS,HS1614H
5	HS1412AI-730300-000	Cable	1	
6	HS1412AI-730600-000	Cable	1	
7	140XEN-730300-002	Cable	1	80/100/120/140XEN
	160XEN-730300-003	Cable	1	160XEN,160XENS,HS1614H
8	160XEN-730600-001	Cable	1	
9	80XENS-700100-001	Handle cable	1	80XEN
10	100XEN-700100-001	Handle cable	1	100XEN
11	120XEN-700100-001	Handle cable	1	120XEN
12	140XEN-700100-001	Handle cable	1	140XEN
13	160XENS-700100-000	Handle cable	1	160XEN,160XENS,HS1614H
14	140XEN-730100-002	Cable	1	
15	140XEN-730800-000	Cable	2	
16	140XEN-730700-000	Cable	2	
17	78XEN-760201	Charger wire	1	

5.3 control handle



Item	Part No.	Description	Qty	Serial
1	78XEN-750100-G00	Control handle	1	
2	78XEN-750200-G00	Panel	4	
3	78XEN-750301-G00	Panel sticker	1	
4	78XEN-750302-G00	Handle body	1	
5	78XEN-750400-G00	Emergency stop switch	1	
6	78XEN-750303-G00	Cover plate	1	
7	78XEN-750500-G00	Buzzer	1	
8	78XEN-750600-G00	Spiral wire	1	


5.4 Control panel assembly





Item	Part No.	Description	Qty	Serial
1	GB/T 5783 M6×16	Bolt M6×16	2	
2	GB/T 93 6	Spring washer 6	2	
3	GB/T 97 6	Plain washer 6	2	
4	60XEND-400011-001	Control panel	1	
	HS1614HI-740501-000	Control panel	1	HS1614H
5	60XEND-740200-G01	Control module	1	
6	60XEND-740504-000	Panel sticker	1	
7	78XEN-400004-G00	Chain	1	
8	GTHZ120-710400-G00	Key switch	1	
9	GTHZ120-720700-G00	Emergency stop switch	1	
10	60XEND-740201-G01	Panel		

6 Label

6.1 Label diagram





6.1 Label diagram

Item	Part No.	Description	Qty	Serial
1	HS1212HI-020005-000	Rated load	2	65/120XEN
	HS0708HI-020005-000	Rated load	2	78XEN
	HS0808HI-020005-000	Rated load	2	80XENS
	HS1008HI-020005-000	Rated load	2	100XENS,160XEN, 160XENS
	HS1012HI-020005-000	Rated load	2	80/100XEN
	HS1412HI-020005-000	Rated load	2	140XEN
	HS1614HI-020005-000	Rated load	2	HS1614H
2	HS1412HI-020016-000	Operation instruction	2	
3	HS1412HI-020021-000	Safe distance	1	
4	HS1412HI-020014-000	Overload tipping hazard	1	
5	HS1412HI-020013-000	Tilt alarm operation	1	
6	HS1412HI-020012-000	Tipping hazard	1	
7	HS1412HI-020026-000	Save the manual	1	
8	HS1412HI-020008-000	Brake release Instructions	1	
9	HS1412HI-020018-000	Emergency descent instruction	1	
10	HS1412HI-020027-000	Forklift position	2	
11	GTWZ110-020013-000	Binding position	4	
12	HS1412HI-020020-000	Lifting hole	4	
13	HS1212HI-020022-000	MAX. manual force	1	65/78/80/100/120XEN
	HS1412HI-020022-000	MAX. manual force	1	140/160XEN,80/100/160XENS, HS1614H
14	HS1412HI-020033-000	Anti collision warning	2	
15	78XEN-020017-000	Trademark	2	
16	HS1412HI-020034-000	Reflective stripe	4	80/100/120/140/160XEN,80/100/160XENS,HS1614H
	HS0708HI-020034-000	Reflective stripe	4	65/78XEN
17	HS1412HI-020010-000	Away from moving parts	2	
18	HS1412HI-020019-000	Anti-pinch hand	4	
19	HS1412HI-020009-000	Tire change warning	4	
20	HS1412HI-020029-000	Parking warning label	2	
21	HS0708HI-020006-000	Tire load	4	65/78XEN
	HS1412HI-020006-000	Tire load	4	80/100/120/140/160XEN,80/100/160XENS,HS1614H
22	HS1412HI-020031-000	Electricity safety label	1	
23	HS1412HI-020007-000	Mains switch	1	
24	HS1412HI-020024-000	Press foot warning	2	

25	HS1412HI-020030-000	Open the door and flip over the danger label	2	
26	HS1412HI-020032-000	Maintenance instruction label	2	
27	HS1412HI-020017-000	Explosion and fire risk	1	
28	HS1412HI-020025-000	Battery change Warning	1	
29	HS1412HI-020032-000	Maintenance instruction	4	
30	65XEN-020001-001	Model number	2	65XEN
	78XEN-020001-001	Model number	2	78XEN
	80XENS-020001-001	Model number	2	80XENS
	100XENS-020001-001	Model number	2	100XENS
	80XEN-020001-001	Model number	2	80XEN
	100XEN-020001-001	Model number	2	100XEN
	120XEN-020001-001	Model number	2	120XEN
	140XEN-020001-001	Model number	2	140XEN
	160XEN-020001-001	Model number	2	160XEN
	160XENS-020001-001	Model number	2	160XENS
	HS1614HI-020001-000	Model number	2	HS1614H
31	HS1412HI-020020-000	Safety belt hook	4	
32	GTHZ120-020022-000	Trademark	1	
33	78XEN-020030-000	IPAF symbol	1	
34	R960-020012-001	CE symbol	1	
35	HS1412HI-020015-000	Prohibited to change the limit switch	1	
36	140XEN-020002	Nameplate	1	
37	GB/T12618.1	Rivet 4×12	4	
38	HS1412HI-020023-000	Waterproof warning	1	
39	HS1412HI-020028-001	Hydraulic sputtering hazard	1	



HANGCHA GROUP CO., LTD.

■ Address: 666 Xiangfu Road, Hangzhou, Zhejiang, China
■ Fax: 0086-571-88926789 0086-571-88132890 ■ ZIP: 311305
■ Web: <http://www.hcforklift.com> ■ E-mail: sales@hcforklift.com